# Journal of MOLECULAR BIOLOGY

**Editors in Chief**
**J. C. KENDREW S. BRENNER**

**Editors**

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

**Associate Editors**

C. R. Cantor
I. Herskowitz
R. Laskey
V. Luzzati
J. H. Miller
M. F. Moody

UNIVERSITY OF HAWAII
AUG 6 1986
LIBRARIES

Volume 187
5 January to 20 February 1986

ACADEMIC PRESS
*(Harcourt Brace Jovanovich, Publishers)*
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1986, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

# Contents of Volume 187

## Number 1, 5 January 1986


**Amemiya, K., Bellofatto, V., Shapiro, L. and Feingold, J.,** Transcription Initiation *in Vitro* and *in Vivo* at a Highly Conserved Promoter within a 16 S Ribosomal RNA Gene 1

**Keppel, F.,** Transcribed Human Ribosomal RNA Genes are Attached to the Nuclear Matrix . . . . . 15

**Régnier, P. and Portier, C.,** Initiation, Attenuation and RNase III Processing of Transcripts from the *Escherichia coli* Operon Encoding Ribosomal Protein S15 and Polynucleotide Phosphorylase . . . . . 23

**Wakimoto, B. T., Kalfayan, L. J. and Spradling, A. C.,** Developmentally Regulated Expression of *Drosophila* Chorion Genes Introduced at Diverse Chromosomal Positions 33

**Broyles, S. S. and Pettijohn, D. E.,** Interaction of the *Escherichia coli* HU Protein with DNA. Evidence for Formation of Nucleosome-like Structures with Altered DNA Helical Pitch . . . . . 47

**Jordan, M. A., Margolis, R. L., Himes, R. H. and Wilson, L.,** Identification of a Distinct Class of Vinblastine Binding Sites on Microtubules . . . . . 61

**Bacher, A., Ludwig, H. C., Schnepple, H. and Ben-Shaul, Y.,** Heavy Riboflavin Synthase from *Bacillus subtilis*. Quaternary Structure and Reaggregation . . . 75

**Ladenstein, R., Meyer, B., Huber, R., Labischinski, H., Bartels, K., Bartunik, H.-D., Bachmann, L., Ludwig, H. C. and Bacher, A.,** Heavy Riboflavin Synthase from *Bacillus subtilis*. Particle Dimensions, Crystal Packing and Molecular Symmetry . . 87

**Appendix** . . . . . 98

**Wierenga, R. K., Terpstra, P. and Hol, W. G. J.,** Prediction of the Occurrence of the ADP-binding $\beta\alpha\beta$-fold in Proteins, Using an Amino Acid Sequence Fingerprint . . 101

**Williams, R. C. and Spengler, S. J.,** Fibers of RecA Protein and Complexes of RecA Protein and Single-stranded $\phi$X174 DNA as Visualized by Negative-stain Electron Microscopy . . . . . 109

**Letters to the Editor**

**Clore, G. M., Gronenborn, A. M., Greipel, J. and Maass, G.,** Conformation of the DNA Undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) Bound to the Single-stranded DNA Binding Protein of *Escherichia coli*. A Time-dependent Transferred Nuclear Overhauser Enhancement Study . . . . . 119

**Braun, W., Wagner, G., Wörgötter, E., Vašák, M., Kägi, J. H. R. and Wüthrich, K.,** Polypeptide Fold in the Two Metal Clusters of Metallothionein-2 by Nuclear Magnetic Resonance in Solution . . . . . 125

**Wagner, G., Neuhaus, D., Wörgötter, E., Vašák, M., Kägi, J. H. R. and Wüthrich, K.,** Nuclear Magnetic Resonance Identification of "Half-turn" and $3_{10}$-Helix Secondary Structure in Rabbit Liver Metallothionein-2 . . . . . 131

**Fujiwara, T., Kobayashi, Y., Kyogoku, Y. and Kataoka, K.,** Conformational Study of $^{13}$C-enriched Fibroin in the Solid State, Using the Cross Polarization Nuclear Magnetic Resonance Method . . . . . 137

**Schneider, G., Brändén, C.-I. and Lorimer, G.,** New Crystal Forms of Ribulose-1,5-Bisphosphate Carboxylase/Oxygenase from *Rhodospirillum rubrum* . . . 141


## Number 2, 20 January 1986


**Prosser, J., Frommer, M., Paul, C. and Vincent, P. C.,** Sequence Relationships of Three Human Satellite DNAs . . . . . 145

**Lam, S. and Roth, J. R.,** Structural and Functional Studies of Insertion Element IS*200* . 157

**Pruitt, R. E. and Meyerowitz, E. M.,** Characterization of the Genome of *Arabidopsis thaliana* . . . . . 169

**Jørgensen, A. L., Bostock, C. J. and Bak, A. L.,** Chromosome-specific Subfamilies within Human Alphoid Repetitive DNA . . . . . 185

**Sternberg, N., Sauer, B., Hoess, R. and Abremski, K.,** Bacteriophage P1 *cre* Gene and its Regulatory Region. Evidence for Multiple Promoters and for Regulation by DNA Methylation . . . . . 197

**Banuett, F., Hoyt, M. A., McFarlane, L., Echols, H. and Herskowitz, I.,** *hfl*B, a New *Escherichia coli* Locus Regulating Lysogeny and the Level of Bacteriophage Lambda cII Protein . . . . . 213

**Filutowicz, M., Uhlenhopp, E. and Helinski, D. R.,** Binding of Purified Wild-type and Mutant $\pi$ Initiation Proteins to a Replication Origin Region of Plasmid R6K . . 225

**Baumeister, W., Barth, M., Hegerl, R., Guckenberger, R., Hahn, M. and Saxton, W. O.,** Three-dimensional Structure of the Regular Surface Layer (HPI Layer) of *Deinococcus radiodurans*. . . . . 241

**Appendix: Saxton, W. O. and Baumeister, W.,** Principles of Organization in S Layers 251

**Gaykema, W. P. J., Volbeda, A. and Hol, W. G. J.,** Structure Determination of *Panulirus interruptus* Haemocyanin at 3·2 Å Resolution. Successful Phase Extension by Sixfold Density Averaging . . . . . 255

**Edelstein, S. J., Poyart, C., Blouquit, Y. and Kister, J.,** Self-association of Haemoglobin Olympia ($\alpha_2\beta_2$ 20 (B2) Val → Met). A Human Haemoglobin Bearing a Substitution at the Surface of the Molecule . . . . . 277

**Burton, F. H., Loeb, D. D., Voliva, C. F., Martin, S. L., Edgell, M. H. and Hutchison, C. A., III,** Conservation Throughout Mammalia and Extensive Protein-Encoding Capacity of the Highly Repeated DNA Long Interspersed Sequence One . 291

**Letter to the Editor**

**Cortay, J. C., Duclos, B. and Cozzone, A. J.,** Phosphorylation of an *Escherichia coli* Protein at Tyrosine . . . . . 305

## Number 3, 5 February 1986

**Dalgarno, L., Trent, D. W., Strauss, J. H. and Rice, C. M.,** Partial Nucleotide Sequence of the Murray Valley Encephalitis Virus Genome. Comparison of the Encoded Polypeptides with Yellow Fever Virus Structural and Non-structural Proteins . . 309

**Luo, C.-C., Li, W.-H., Moore, M. N. and Chan, L.,** Structure and Evolution of the Apolipoprotein Multigene Family . . . . . 325

**Takahashi, M., Altschmied, L. and Hillen, W.,** Kinetic and Equilibrium Characterization of the Tet Repressor–Tetracycline complex by Fluorescence Measurements. Evidence for Divalent Metal Ion Requirement and Energy Transfer . 341

**Stutz, F. and Spohr, G.,** Isolation and Characterization of Sarcomeric Actin Genes Expressed in *Xenopus laevis* Embryos . . . . . 349

**McNeil, J. B. and Smith, M.,** Transcription Initiation of the *Saccharomyces cerevisiae* Iso-1-cytochrome *c* Gene. Multiple, Independent T-A-T-A Sequences . . . . 363

**Gattoni, R., Keohavong, P. and Stévenin, J.,** Splicing of the E2A Premessenger RNA of Adenovirus Serotype 2. Multiple Pathways in Spite of Excision of the Entire Large Intron . . . . . 379

**Moazed, D., Stern, S. and Noller, H. F.,** Rapid Chemical Probing of Conformation in 16 S Ribosomal RNA and 30 S Ribosomal Subunits Using Primer Extension . . 399

**Taylor, K. A., Dux, L. and Martonosi, A.,** Three-dimensional Reconstruction of Negatively Stained Crystals of the $Ca^{2+}$-ATPase from Muscle Sarcoplasmic Reticulum 417

**Holbrook, S. R., Wang, A. H.-J., Rich, A. and Kim, S.-H.,** Local Mobility of Nucleic Acid as Determined from Crystallographic Data. II. *Z*-form DNA . . . . . 429

**Campos, J. L., Portugal, J., Subirana, J. A. and Mayer, R.,** Influence of Amino Acid and Peptide Counterions on the Conformation of DNA . . . . . 441

**Cavard, D., Crozel, V., Gorvel, J.-P., Pattus, F., Baty, D. and Lazdunski, C.,** A Molecular, Genetic and Immunological Approach to the Functioning of Colicin A, a Pore-forming Protein . . . . . 449

**Letter to the Editor**

**Doenecke, D. and Tönjes, R.,** Differential Distribution of Lysine and Arginine Residues in the Closely Related Histones H1° and H5. Analysis of a Human H1° Gene . . . . . 461

## Number 4, 20 February 1986

**Adams, D. S., Eickbush, T. H., Herrera, R. J. and Lizardi, P. M.,** A Highly Reiterated Family of Transcribed Oligo(A)-terminated, Interspersed DNA Elements in the Genome of *Bombyx mori* . . . . . 465

**Martins de Sa, C., Grossi de Sa, M.-F., Akhayat, O., Broders, F., Scherrer, K., Horsch, A. and Schmid, H.-P.,** Prosomes: Ubiquity and Inter-species Structural Variation . . . . . 479

**Grellet, F., Delcasso, D., Panabieres, F. and Delseny, M.,** Organization and Evolution of a Higher Plant Alphoid-like Satellite DNA Sequence . . . . . 495

**Jacobs, H. T. and Grimes, B.,** Complete Nucleotide Sequences of the Nuclear Pseudogenes for Cytochrome Oxidase Subunit I and the Large Mitochondrial Ribosomal RNA in the Sea Urchin *Strongylocentrotus purpuratus* . . . . . 509

**Kaiser, K., Furia, M. and Glover, D. M.,** Dosage Compensation at the *sgs*4 Locus of *Drosophila melanogaster* . . . . . 529

**Miller, W. A., Bujarski, J. J., Dreher, T. W. and Hall, T. C.,** Minus-strand Initiation by Brome Mosaic Virus Replicase Within the 3′ tRNA-like Structure of Native and Modified RNA Templates . . . . . 537

**Butner, K. A. and Lo, C. W.,** High Frequency DNA Rearrangements Associated with Mouse Centromeric Satellite DNA . . . . . 547

**Matthias, P., Boeger, U., Danesch, U., Schutz, G. and Bernard, H.-U.,** Physical State, Expression and Regulation of Two Glucocorticoid-controlled Genes on Bovine Papilloma Virus Vectors . . . . . 557

**Clark, D. J. and Thomas, J. O.,** Salt-dependent Co-operative Interaction of Histone H1 with Linear DNA . . . . . 569

**Verschoor, A., Frank, J., Wagenknecht, T. and Boublik, M.,** Computer-averaged Views of the 70 S Monosome from *Escherichia coli* . . . . . 581

**Allan, J., Mitchell, T., Harborne, N., Bohm, L. and Crane-Robinson, C.,** Roles of H1 Domains in Determining Higher Order Chromatin Structure and H1 Location . . 591

**Lohman, T. M., Overman, L. B. and Datta, S.,** Salt-dependent Changes in the DNA Binding Co-operativity of *Escherichia coli* Single Strand Binding Protein . . . 603

**Letters to the Editor**

**Langer, J. A. and Lake, J. A.,** Elongation Factor Tu Localized on the Exterior Surface of the Small Ribosomal Subunit . . . . . 617

**Lewis, S. A. and Cowan, N. J.,** Tubulin Pseudogenes as Markers for Hominoid Divergence . . . . . 623

**Selve, N. and Wegner, A.,** Rate of Treadmilling of Actin Filaments *in Vitro* . . 627

**Yonath, A., Saper, M. A., Makowski, I., Müssig, J., Piefke, J., Bartunik, H. D., Bartels, K. S. and Wittmann, H. G.,** Characterization of Single Crystals of the Large Ribosomal Particles from *Bacillus stearothermophilus* . . . . . 633

# Index to Volume 187


Abremski, K. (see also Sternberg, N.), 197
Actin filaments, rate of treadmilling *in vitro*, 627
Actin genes, sarcomeric, expressed in *Xenopus laevis* embryos, isolation and characterization, 349
Adams, D. S., Eickbush, T. H., Herrara, R. J. & Lizardi, P. M., A highly reiterated family of transcribed oligo(A)-terminated, interspersed DNA elements in the genome of *Bombyx mori*, 379
Adenovirus serotype 2, splicing of the E2A premessenger RNA; multiple pathways in spite of excision of the entire large intron, 379
ADP-binding $\beta\alpha\beta$-fold in proteins, prediction of occurrence using an amino acid sequence fingerprint, 101
Akhayat, O. (see also Martins de Sa, C.), 479
Allan, J., Mitchell, T., Harborne, N., Bohm, L. & Crane-Robinson, C., Roles of H1 domains in determining higher order chromatin structure and H1 location, 591
Alphoid human repetitive DNA, chromosome-specific subfamilies, 185
Alphoid-like satellite DNA sequence, higher plant, organization and evolution, 495
Altschmied, L. (see also Takahashi, M.), 341
Amemiya, K., Bellofatto, V., Shapiro, L. & Feingold, J., Transcription initiation *in vitro* and *in vivo* at a highly conserved promoter within a 16 S ribosomal RNA gene, 1
Amino acid and peptide counterions, influence on the conformation of DNA, 441
Apolipoprotein multigene family, structure and evolution, 325
*Arabidopsis thaliana*, characterization of the genome, 169
Arginine and lysine residues, differential distribution in the closely related histones H1° and H5; analysis of a human H1° gene, 461

Bacher, A., Ludwig, H. C., Schnepple, H. & Ben-Shaul, Y., Heavy riboflavin synthase from *Bacillus subtilis*. Quaternary structure and reaggregation, 75
Bacher, A. (see also Ladenstein, R.), 87
Bachmann, L. (see also Ladenstein, R.), 87
*Bacillus stearothermophilus*, characterization of single crystals of the large ribosomal particles, 633
*Bacillus subtilis*, heavy riboflavin synthase; particle dimensions, crystal packing and molecular symmetry, 87
*Bacillus subtilis*, heavy riboflavin synthase; quaternary structure and reaggregation, 75
Bacteriophage lambda cII protein level regulation, and the *Escherichia coli hfl*B locus, 213
Bacteriophage P1 *cre* gene and its regulatory region. Evidence for multiple promoters and for regulation by DNA methylation, 197
Bak, A. L. (see also Jørgensen, A. L.), 185
Banuett, F., Hoyt, M. A., McFarlane, L., Echols, H. & Herskowitz, I., *hfl*B, a new *Escherichia coli* locus regulating lysogeny and the level of bacteriophage lambda cII protein, 213
Bartels, K. (see also Ladenstein, R.), 87
Bartels, K. S. (see also Yonath, A.), 633
Barth, M. (see also Baumeister, W.), 241
Bartunik, H.-D. (see also Ladenstein, R.), 87
Bartunik, H. D. (see also Yonath, A.), 633
Baty, D. (see also Cavard, D.), 449
Baumeister, W., Barth, M., Hegerl, R., Gluckenberger, R., Hahn, M. & Saxton, W. O., Three-dimensional structure of the regular surface layer (HPI layer) of *Deinococcus radiodurans*, 241
Baumeister, W. (see also Saxton, W. O.), 251
Bellofatto, V. (see also Amemiya, K.), 1
Ben-Shaul, Y. (see also Bacher, A.), 75
Bernard, H.-U. (see also Matthias, P.), 557
$\beta\alpha\beta$-fold, ADP-binding, in proteins, prediction of occurrence using an amino acid sequence fingerprint, 101
Binding co-operativity, DNA, of *Escherichia coli* single strand binding protein, salt-dependent changes, 603
Binding of purified wild-type and mutant $\pi$ initiation proteins to a replication origin region of plasmid R6K, 225
Binding sites, vinblastine, on microtubules, identification of a distinct class, 61
Blouquit, Y. (see also Edelstein, S. J.), 277
Boeger, U. (see also Matthias, P.), 557
Bohm, L. (see also Allan, J.), 591
*Bombyx mori*, a highly reiterated family of transcribed oligo(A)-terminated, interspersed DNA elements in the genomes, 465
Bostock, C. J. (see also Jørgensen, A. L.), 185
Boublik, M. (see also Verschoor, A.), 581
Bovine papilloma virus vectors, and the physical state, expression and regulation of two glucocorticoid-controlled genes, 557
Brändén, C.-I. (see also Schneider, G.), 141
Braun, W., Wagner, G., Wörgötter, E., Vašák, M., Kägi, J. H. R. & Wüthrich, K., Polypeptide fold in the two metal clusters of metallothionein-2 by nuclear magnetic resonance in solution, 125
Broders, F. (see also Martins de Sa, C.), 479
Brome mosaic virus replicase, minus-strand initiation within the 3′ tRNA-like structures of native and modified RNA templates, 537
Broyles, S. S. & Pettijohn, D. E., Interaction of the *Escherichia coli* HU protein with DNA. Evidence for formation of nucleosome-like structures with altered DNA helical pitch, 47
Bujarski, J. J. (see also Miller, W. A.), 537
Burton, F. H., Loeb, D. D., Voliva, C. F., Martin, S. L., Edgell, M. H. & Hutchison, C. A., III, Conservation throughout mammalia and extensive protein-encoding capacity of the highly repeated DNA long interspersed sequence one, 291
Butner, K. A. & Lo, C. W., High frequency DNA rearrangements associated with mouse centromeric satellite DNA, 547

cII protein, bacteriophage lambda, and regulation of the level by *Escherichia coli hfl*B locus, 213
Campos, J. L., Portugal, J., Subirana, J. A. & Mayer, R., Influence of amino acid and peptide counterions on the conformation of DNA, 441
$Ca^{2+}$-ATPase from muscle sarcoplasmic reticulum, three-dimensional reconstruction of negatively stained crystals, 417
$^{13}C$-enriched fibroin in the solid state, conformational study using the cross polarization n.m.r. method, 137
Cavard, D., Crozel, V., Gorvel, J.-P., Pattus, F., Baty, D. & Lazdunski, C., A molecular, genetic and immunological approach to the functioning of colicin A, a pore-forming protein, 449
Chan, L. (see also Luo, C.-C.), 325
Chemical probing, rapid, of conformation in 16 S ribosomal RNA and 30 S ribosomal subunits using primer extension, 399
Chorion genes, *Drosophila*, introduced at diverse chromosomal positions; developmentally regulated expression, 33
Chromatin higher order structure and H1 location, and the roles of H1 domains, 591
Chromosome-specific subfamilies within human alphoid repetitive DNA, 185
Clark, D. J. & Thomas, J. O., Salt-dependent co-operative interaction of histone H1 with linear DNA, 569
Clore, G. M., Gronenborn, A. M., Greipel, J. & Maass, G., Conformation of the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) bound to the single-stranded DNA binding protein of *Escherichia coli*. A time-dependent transferred nuclear Overhauser enhancement study, 119
Colicin A, a pore-forming protein, a molecular, genetic and immunological approach to functioning, 449
Computer-averaged views of the 70 S monosome from *Escherichia coli*, 581
Conformation of DNA, influence of amino acid and peptide counterions, 441
Conformation of the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) bound to the single-stranded DNA binding protein of

*Escherichia coli*; a time-dependent transferred nuclear Overhauser enhancement study, 119
Conformation in 16 S ribosomal RNA and 30 S ribosomal subunits, rapid chemical probing using primer extension, 399
Conformational study of $^{13}$C-enriched fibroin in the solid state, using the cross polarization n.m.r. method, 137
Cortay, J. C., Duclos, B. & Cozzone, A. J., Phosphorylation of an *Escherichia coli* protein at tyrosine, 305
Counterions, amino acid and peptide, influence on the conformation of DNA, 441
Cowan, N. J. (see also Lewis, S. A.), 623
Cozzone, A. J. (see also Cortay, J. C.), 305
Crane-Robinson, C. (see also Allan, J.), 591
*cre* gene, P1, and its regulatory region. Evidence for multiple promoters and for regulation by DNA methylation, 197
Crozel, V. (see also Cavard, D.), 449
Crystal forms, new, of ribulose-1,5-biphosphate carboxylase/oxygenase from *Rhodospidillum rubrum*, 141
Crystal packing, particle dimensions and molecular symmetry, for heavy riboflavin synthase from *Bacillus subtilis*, 87
Crystallographic data and the determination of local mobility of nucleic acids; *Z*-form DNA, 429
Crystals, negatively stained, of the $Ca^{2+}$-ATPase from muscle sarcoplasmic reticulum, three-dimensional reconstruction, 417
Crystals, single, of the large ribosomal particles from *Bacillus stearothermophilus*; characterization, 633
Cytochrome oxidase subunit I nuclear pseudogene of sea urchin *Strongylocentrotus purpuratus*, complete nucleotide sequence, 509

Dalgarno, L., Trent, D. W., Strauss, J. H. & Rice, C. M., Partial nucleotide sequence of the Murray Valley encephalitis virus genome. Comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
Danesch, U. (see also Matthias, P.), 557
Datta, S. (see also Lohman, T. M.), 603
*Deinococcus radiodurans*, three-dimensional structure of the regular surface layer (HPI layer), 241
Delcasso, D. (see also Grellet, F.), 495
Delseny, M. (see also Grellet, F.), 495
DNA binding co-operativity of *Escherichia coli* single strand binding protein, salt-dependent changes, 603
DNA binding protein, single-stranded, of *Escherichia coli*, bound to the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T); a time-dependent transferred nuclear Overhauser enhancement study of conformation, 119
DNA conformation, influence of amino acid and peptide counterions, 441
DNA elements, interspersed, oligo(A)-terminated, transcribed; a highly reiterated family in the genome of *Bombyx mori*, 465
DNA interaction with *Escherichia coli* HU protein; evidence for formation of nucleosome-like structures with altered DNA helical pitch, 47
DNA, linear, salt-dependent co-operative interaction with histone H1, 569
DNA long interspersed sequence one, conservation throughout mammalia and extensive protein-encoding capacity, 291
DNA methylation and P1 *cre* gene regulation, 197
DNA, $\phi$X174, single-stranded, complexes with RecA protein; visualization of fibers by negative-strain electron microscopy, 109
DNA rearrangements, high frequency, associated with mouse centromeric satellite DNA, 547
DNA, repetitive, alphoid, human; chromosome-specific subfamilies, 185
DNA, satellite, centromeric, mouse, and associated high frequency DNA rearrangements, 547
DNA sequence, satellite, alphoid-like, higher plant, organization and evolution, 495
DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) bound to the single-stranded DNA binding protein of *Escherichia coli*; a time-dependent transferred nuclear Overhauser enhancement study of conformation, 119
DNA, *Z*-form; local mobility of nucleic acids as determined from crystallographic data, 429
DNAs, satellite, human, three, sequence relationships, 145
Developmentally regulated expression of *Drosophila* chorion genes introduced at diverse chromosomal positions, 33
Divalent metal ion requirement and energy transfer; kinetic and equilibrium characterization of the Tet repressor-tetracycline complex by fluorescence measurements, 341
Doenecke, D. & Tönjes, R., Differential distribution of lysine and arginine residues in the closely related histones H1° and H5. Analysis of a human H1° gene, 461
Dosage compensation at the *sgs*4 locus of *Drosophila melanogaster*, 529
Dreher, T. W. (see also Miller, W. A.), 537
*Drosophila* chorion genes introduced at diverse chromosomal positions; developmentally regulated expression, 33
*Drosophila melanogaster*, dosage compensation at the *sgs*4 locus, 529
Duclos, B. (see also Cortay, J. C.), 305
Dux, L. (see also Taylor, K. A.), 417

E2A premessenger RNA of adenovirus serotype 2, splicing; multiple pathways in spite of excision of the entire large intron, 379
Echols, H. (see also Banuett, F.), 213
Edelstein, S. J., Poyart, C., Blouquit, Y. & Kister, J., Self-association of haemoglobin Olympia ($\alpha_2\beta_2$ 20 (B2) Val → Met). A human haemoglobin bearing a substitution at the surface of the molecule, 277
Edgell, M. H. (see also Burton, F. H.), 291
Eickbush, T. H. (see also Adams, D. S.), 465
Electron microscopy, negative-stain, visualization of fibers of RecA protein and complexes of RecA protein and single-stranded $\phi$X174 DNA, 109
Elongation factor Tu localized on the exterior surface of the small ribosomal subunit, 617
Embryos, *Xenopus laevis*, isolation and characterization of sarcomeric actin genes, 349
Encephalitis, Murray Valley virus genome, partial nucleotide sequence; comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
*Escherichia coli*, computer-averaged views of the 70 S monosome, 581
*Escherichia coli*, conformation of the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) bound to the single-stranded DNA binding protein; a time-dependent transferred nuclear Overhauser enhancement study, 119
*Escherichia coli hfl*B locus regulation lysogeny and the level of bacteriophage lambda cII protein, 213
*Escherichia coli* HU protein, interaction with DNA. Evidence for formation of nucleosome-like structures with altered DNA helical pitch, 47
*Escherichia coli* operon encoding ribosomal protein S15 and polynucleotide phosphorylase; initiation, attenuation and RNase III processing of transcripts, 23
*Escherichia coli* protein phosphorylation at tyrosine, 305
*Escherichia coli* single strand binding protein, salt-dependent changes in the DNA binding co-operativity, 603
Evolution of the apolipoprotein multigene family, 325
Evolution and organization of a higher plant alphoid-like satellite DNA sequence, 495
Evolutionary history of the highly repeated DNA long interspersed sequence one, 291

Feingold, J. (see also Amemiya, K.), 1
Fibers of RecA protein and complexes of RecA protein and single-stranded $\phi$X174 DNA as visualized by negative-stain electron microscopy, 109
Fibroin, $^{13}$C-enriched, in the solid state, a conformational study using the cross polarization n.m.r. method, 137
Filaments, actin, rate of treadmilling *in vitro*, 627
Filutowicz, M., Uhlenhopp, A. & Helinski, D. R., Binding of purified wild-type and mutant $\pi$ initiation proteins to a replication origin region of plasmid R6K, 225
Fingerprint, amino acid sequence, used in prediction of the occurrence of the ADP-binding $\beta\alpha\beta$-fold in proteins, 101
5′d(A-A-G-T-G-T-G-A-T-A-T) DNA undecamer bound to the single-stranded DNA binding protein of *Escherichia coli*; a

time-dependent transferred nuclear Overhauser enhancement study of conformation, 119
Fluorescence determination of the kinetic and equilibrium characterization of the Tet repressor–tetracycline complex; evidence for divalent metal ion requirement and energy transfer, 341
Fold, polypeptide, in the two metal clusters of metallothionein-2 by n.m.r. in solution, 125
Frank, J. (see also Verschoor, A.), 581
Frommer, M. (see also Prosser, J.), 145
Fujiwara, T., Kobayashi, Y., Kyogoku, Y. & Kataoka, K., Conformational study of $^{13}C$-enriched fibroin in the solid state, using the cross polarization nuclear magnetic resonance method, 137
Furia, M. (see also Kaiser, K.), 529

Gattoni, R., Keohavong, P. & Stévenin, J., Splicing of the E2A premessenger RNA of adenovirus serotype 2. Multiple pathways in spite of excision of the entire large intron, 379
Gaykema, W. P. J., Volbeda, A. & Hol, W. G. J., Structure determination of *Panulirus interruptus* haemocyanin at 3·2 Å resolution. Successful phase extension by sixfold density averaging, 255
Gene, *cre*, P1, and its regulatory region; evidence for multiple promoters and for regulation by DNA methylation, 197
Gene, human H1°, analysis; differential distribution of lysine and arginine residues in the closely related histones H1° and H5, 461
Gene, iso-1-cytochrome *c*, *Saccharomyces cerevisiae*, transcription initiation; multiple, independent T-A-T-A sequences, 363
Gene, 16 S ribosomal RNA, transcription initiation *in vitro* and *in vivo* at a highly conserved promoter, 1
Genes, actin, sarcomeric, expressed in *Xenopus laevis* embryos; isolation and characterization, 349
Genes, apolipoprotein, structure and evolution, 325
Genes, chorion, *Drosophila*, introduced at diverse chromosomal positions; developmentally regulated expression, 33
Genes, glucocorticoid-controlled, two, on bovine papilloma virus vectors; physical state, expression and regulation, 557
Genes, RNA, ribosomal, human, transcribed are attached to the nuclear matrix, 15
Genetic, molecular and immunological approach to the functioning of colicin A, a pore-forming protein, 449
Genome of *Arabidopsis thaliana*, characterization, 169
Genome of *Bombyx mori*, a highly reiterated family of transcribed oligo(A)-terminated, interspersed DNA elements, 465
Genome, Murray Valley encephalitis virus, partial nucleotide sequence; comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
Glover, D. M. (see also Kaiser, K.), 529
Gluckenberger, R. (see also Baumeister, W.), 241
Glucocorticoid-controlled genes, two, on bovine papilloma virus vectors; physical state, expression and regulation, 557
Gorvel, J.-P. (see also Cavard, D.), 449
Greipel, J. (see also Clore, G. M.), 119
Grellet, F., Delcasso, D., Panabieres, F. & Delseny, M., Organization and evolution of a higher plant alphoid-like satellite DNA sequence, 495
Grimes, B. (see also Jacobs, H. T.), 509
Gronenborn, A. M. (see also Clore, G. M.), 119
Grossi de Sa, M.-F. (see also Martins de Sa, C.), 479

H1 domains, roles in determining higher order chromatin structure and H1 location, 591
Haemocyanin, *Panulirus interruptus*, structure determination at 3·2 Å resolution; successful phase extension by sixfold density averaging, 255
Haemoglobin Olympia ($\alpha_2\beta_2$ 20 (B2) Val → Met), self-association; a human haemoglobin bearing a substitution at the surface of the molecule, 277
Hahn, M. (see also Baumeister, W.), 241
"Half-turn" and $3_{10}$-helix secondary structure in rabbit liver metallothionein-2, n.m.r. identification, 131
Hall, T. C. (see also Miller, W. A.), 537
Harborne, N. (see also Allan, J.), 591
Hegerl, R. (see also Baumeister, W.), 241
Helical pitch, DNA, altered, in nucleosome-like structures; interaction of *Escherichia coli* HU protein with DNA, 47
$3_{10}$-Helix secondary structure, n.m.r. identification in rabbit liver metallothionein-2, 131
Helinski, D. R. (see also Filutowicz, M.), 225
Herrara, R. J. (see also Adams, D. S.), 465
Herskowitz, I. (see also Banuett, F.), 213
*hflB*, a new *Escherichia coli* locus regulating lysogeny and the level of bacteriophage lambda cII protein, 213
Hillen, W. (see also Takahashi, M.), 341
Himes, R. H. (see also Jordan, M. A.), 61
Histone H1, salt-dependent co-operative interaction with linear DNA, 569
Histones H1° and H5, differential distribution of lysine and arginine residues; analysis of a human H1° gene, 461
Hoess, R. (see also Sternberg, N.), 197
Hol, W. G. J. (see also Gaykema, W. P. J.), 255
Hol, W. G. J. (see also Wierenga, R. K.), 101
Holbrook, S. R., Wang, A. H.-J., Rich, A. & Kim, S.-H., Local mobility of nucleic acid as determined from crystallographic data. II. *Z*-form DNA, 429
Hominoid divergence, tubulin pseudogenes as markers, 623
Horsch, A. (see also Martins de Sa, C.), 479
Hoyt, M. A. (see also Banuett, F.), 213
HPI layer of *Deinococcus radiodurans*, three-dimensional structure, 241
HU protein, *Escherichia coli*, interaction with DNA. Evidence for formation of nucleosome-like structures with altered DNA helical pitch, 47
Huber, R. (see also Ladenstein, R.), 87
Human alphoid repetitive DNA, chromosome-specific subfamilies, 185
Human satellite DNAs, three, sequence relationships, 145
Human transcribed ribosomal RNA genes are attached to the nuclear matrix, 15
Hutchison, C. A., III (see also Burton, F. H.), 291

Immunological, molecular and genetic approach to the functioning of colicin A, a pore-forming protein, 449
Initiation, attenuation and RNase III processing of transcripts from the *Escherichia coli* operon encoding ribosomal protein S15 and polynucleotide phosphorylase, 23
Initiation proteins, $\pi$, binding to a replication origin region of plasmid R6K, 225
Insertion element IS*200*, structural and functional studies, 157
IS*200* insertion element, structural and functional studies, 157
Iso-1-cytochrome *c* gene, *Saccharomyces cerevisiae*, transcription initiation; multiple, independent T-A-T-A sequences, 363

Jacobs, H. T. & Grimes, B., Complete nucleotide sequences of the nuclear pseudogenes for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA in the sea urchin *Strongylocentrotus purpuratus*, 509
Jordan, M. A., Margolis, R. L., Himes, R. H. & Wilson, L., Identification of a distinct class of vinblastine binding sites on microtubules, 61
Jørgensen, A. L., Bostock, C. J. & Bak, A. L., Chromosome-specific subfamilies within human alphoid repetitive DNA, 185

Kägi, J. H. R. (see also Braun, W.), 125
Kägi, J. H. R. (see also Wagner, G.), 131
Kaiser, K., Furia, M. & Glover, D. M., Dosage compensation at the *sgs*4 locus of *Drosophila melanogaster*, 529
Kalfayan, L. J. (see also Wakimoto, B. T.), 33
Kataoka, K. (see also Fujiwara, T.), 137
Keohavong, P. (see also Gattoni, R.), 379
Keppel, F., Transcribed human ribosomal RNA genes are attached to the nuclear matrix, 15
Kim, S.-H. (see also Holbrook, S. R.), 429
Kinetic and equilibrium characterization of the Tet repressor–tetracycline complex by fluorescence measurements; evidence for divalent metal ion requirement and energy transfer, 341
Kister, J. (see also Edelstein, S. J.), 277
Kobayashi, Y. (see also Fujiwara, T.), 137

Kyogoku, Y. (see also Fujiwara, T.), 137
Labischinski, H. (see also Ladenstein, R.), 87
Ladenstein, R., Meyer, B., Huber, R., Labischinski, H., Bartels, K., Bartunik, H.-D., Bachmann, L., Ludwig, H. C. & Bacher, A., Heavy riboflavin synthase from *Bacillus subtilis*. Particle dimensions, crystal packing and molecular symmetry, 87
Lake, J. A. (see also Langer, J. A.), 617
Lam, S. & Roth, J. R., Structural and functional studies of insertion element IS*200*, 157
λ (see also Bacteriophage), 213
Langer, J. A. & Lake, J. A., Elongation factor Tu localized on the exterior surface of the small ribosomal subunit, 617
Lazdunski, C. (see also Cavard, D.), 449
Lewis, S. A. & Cowan, N. J., Tubulin pseudogenes as markers for hominoid divergence, 623
Li, W.-H. (see also Luo, C.-C.), 325
Lizardi, P. M. (see also Adams, D. S.), 465
Lo, C. W. (see also Butner, K. A.), 547
Loeb, D. D. (see also Burton, F. H.), 291
Lohman, T. M., Overman, L. B. & Datta, S., Salt-dependent changes in the DNA binding co-operativity of *Escherichia coli* single strand binding protein, 603
Long interspersed sequence one, DNA, conservation throughout mammalia and extensive protein-encoding capacity, 291
Lorimer, G. (see also Schneider, G.), 141
Ludwig, H. C. (see also Bacher, A.), 75
Ludwig, H. C. (see also Ladenstein, R.), 87
Luo, C.-C., Li, W.-H., Moore, M. N. & Chan, L., Structure and evolution of the apolipoprotein multigene family, 325
Lysine and arginine residues, differential distribution of lysine and arginine residues in the closely related histones H1° and H5; analysis of a human H1° gene, 461
Lysogeny regulation and the *Escherichia coli hfl*B locus, 213

Maass, G. (see also Clore, G. M.), 119
McFarlane, L. (see also Banuett, F.), 213
McNeil, J. B. & Smith, M., Transcription initiation of the *Saccharomyces cerevisiae* iso-1-cytochrome *c* gene. Multiple, independent T-A-T-A sequences, 363
Makowski, I. (see also Yonath, A.), 633
Mammalia conservation and extensive protein-encoding capacity of the highly repeated DNA long interspersed sequence one, 291
Marholis, R. L. (see also Jordan, M. A.), 61
Martin, S. L. (see also Burton, F. H.), 291
Martins de Sa, C., Grossi de Sa, M.-F., Akhayat, O., Broders, F., Scherrer, K., Horsch, A. & Schmid, H.-P., Prosomes: ubiquity and inter-species structural variation, 479
Martonosi, A. (see also Taylor, K. A.), 417
Matthias, P., Boeger, U., Danesch, U., Schutz, G. & Bernard, H.-U., Physical state, expression and regulation of two glucocorticoid-controlled genes on bovine papilloma virus vectors, 557
Mayer, R. (see also Campos, J. L.), 441
Metallothionein-2, polypeptide fold in the two metal clusters, by n.m.r. in solution, 125
Metallothionein-2, rabbit liver, n.m.r. identification of "half-turn" and $3_{10}$-helix secondary structure, 131
Methylation, DNA, and P1 *cre* gene regulation, 197
Meyer, B. (see also Ladenstein, R.), 87
Meyerowitz, E. M. (see also Pruitt, R. E.), 169
Microtubules, identification of a distinct class of vinblastine binding sites, 61
Miller, W. A., Bujarski, J. J., Dreher, T. W. & Hall, T. C., Minus-strand initiation by brome mosaic virus replicase within the 3′ tRNA-like structure of native and modified RNA templates, 537
Minus-strand initiation by brome mosaic virus replicase within the 3′ tRNA-like structure of native and modified RNA templates, 537
Mitchell, T. (see also Allan, J.), 591
Mitochondrial ribosomal RNA nuclear pseudogene of sea urchin *Strongylocentrotus purpuratus*, complete nucleotide sequence, 509
Moazed, D., Stern, S. & Noller, H. F., Rapid chemical probing of conformation in 16 S ribosomal RNA and 30 S ribosomal subunits using primer extension, 399
Mobility, local, of nucleic acids as determined from crystallographic data; *Z*-form DNA, 429
Molecular, genetic and immunological approach to the functioning of colicin A, a pore-forming protein, 449
Monosome, 70 S, from *Escherichia coli*, computer-averaged views, 581
Moore, M. N. (see also Luo, C.-C.), 325
Mouse centromeric satellite DNA, and associated high frequency DNA rearrangements, 547
Murray Valley encephalitis virus genome, partial nucleotide sequence; comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
Muscle sarcoplasmic reticulum, three-dimensional reconstruction of negatively stained crystals of $Ca^2$-ATPase, 417
Müssig, J. (see also Yonath, A.), 633

Neuhaus, D. (see also Wagner, G.), 131
Noller, H. F. (see also Moazed, D.), 399
Nuclear magnetic resonance, cross polarization, method used in conformational study of $^{13}$C-enriched fibroin in the solid state, 137
Nuclear magnetic resonance identification of "half-turn" and $3_{10}$-helix secondary structure in rabbit liver metallothionein-2, 131
Nuclear magnetic resonance in solution, determination of polypeptide fold in the two metal clusters of metallothionein-2, 125
Nuclear pseudogenes for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA in the sea urchin *Strongylocentrotus purpuratus*; complete nucleotide sequences, 509
Nuclear matrix, transcribed human ribosomal RNA genes are attached, 15
Nucleic acids, local mobility determined from crystallographic data; *Z*-form DNA, 429
Nucleosome-like structures with altered DNA helical pitch, and the interaction of *Escherichia coli* HU protein with DNA, 47
Nucleotide sequence, partial, of the Murray Valley encephalitis virus genome. Comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
Nucleotide sequences of the nuclear pseudogenes for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA in the sea urchin *Strongylocentrotus purpuratus*, 509

Organization and evolution of a higher plant alphoid-like satellite DNA sequence, 495
Organization in S layers, principles, 251
Overhauser enhancement study of the conformation of the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T) bound to the single-stranded DNA binding protein of *Escherichia coli*, 119
Overman, L. B. (see also Lohman, T. M.), 603

P1 (see also Bacteriophage), 197
Panabieres, F. (see also Grellet, F.), 495
*Panulirus interruptus* haemocyanin, structure determination at 3·2 Å resolution; successful phase extension by sixfold density averaging, 255
Papilloma virus vectors, and the physical state, expression and regulation of two glucocorticoid-controlled genes, 557
Pattus, F. (see also Cavard, D.), 449
Paul, C. (see also Prosser, J.), 145
Pettijohn, D. E. (see also Broyles, S. S.), 47
$\phi$X174 DNA, single-stranded, complexes with RecA protein; visualization of fibers by negative-stain electron microscopy, 109
Phosphorylation of an *Escherichia coli* protein at tyrosine, 305
π initiation proteins, binding to a replication origin region of plasmid R6K, 225
Piefke, J. (see also Yonath, A.), 633
Plant alphoid-like satellite DNA sequence, organization and evolution, 495
Plasmid R6K, binding of purified wild-type and mutant π initiation proteins to a replication origin region, 225

Polynucleotide phosphorylase and ribosomal protein S15; initiation, attenuation and RNase III processing of transcripts from the *Escherichia coli* encoding operon, 23
Polypeptide fold in the two metal clusters of metallothionein-2 by n.m.r. in solution, 125
Portier, C. (see also Régnier, P.), 23
Portugal, J. (see also Campos, J. L.), 441
Poyart, C. (see also Edelstein, S. J.), 277
Premessenger RNA, E2A, of adenovirus serotype 2, splicing; multiple pathways in spite of excision of the entire large intron, 379
Primer extension used in rapid chemical probing of conformation in 16 S ribosomal RNA and 30 S ribosomal subunits, 399
Promoter, highly conserved, within a 16 S ribosomal RNA gene, transcription initiation *in vitro* and *in vivo*, 1
Prosomes: ubiquity and inter-species structural variation, 479
Prosser, J., Frommer, M., Paul, C. & Vincent, P. C., Sequence relationships of three human satellite DNAs, 145
Protein, *Escherichia coli*, phosphorylation at tyrosine, 305
Protein-encoding capacity of the highly repeated DNA long interspersed sequence one, 291
Proteins, prediction of the occurrence of the ADP-binding $\beta\alpha\beta$-fold using an amino acid sequence fingerprint, 101
Pruitt, R. E. & Meyerowitz, E. M., Characterization of the genome of *Arabidopsis thaliana*, 169
Pseudogenes, nuclear, for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA in the sea urchin *Strongylocentrotus purpuratus*; complete nucleotide sequences, 509
Pseudogenes, tubulin, as markers for hominoid divergence, 623

R6K plasmid, binding of purified wild-type and mutant $\pi$ initiation proteins to a replication origin region, 225
Rabbit liver metallothionein-2, n.m.r. identification of "half-turn" and $3_{10}$-helix secondary structure, 131
RecA protein and complexes of RecA protein and single-stranded $\phi$X174 DNA, visualization of fibers by negative-stain electron microscopy, 109
Régnier, P. & Portier, C., Initiation, attenuation and RNase III processing of transcripts from the *Escherichia coli* operon encoding ribosomal protein S15 and polynucleotide phosphorylase, 23
Regular surface layer (HPI layer) of *Deinococcus radiodurans*, three-dimensional structure, 241
Regulated expression of *Drosophila* chorion genes introduced at diverse chromosomal positions, 33
Regulation of two glucocorticoid-controlled genes on bovine papilloma virus vectors, 557
Regulatory region of bacteriophage P1 *cre* gene; evidence for multiple promoters and for regulation by DNA methylation, 197
Reiterated family of transcribed oligo(A)-terminated, interspersed DNA elements in the genome of *Bombyx mori*, 465
Repetitive DNA, alphoid, human; chromosome-specific subfamilies, 185
Replication origin region of plasmid R6K, binding of purified wild-type and mutant $\pi$ initiation proteins, 225
*Rhodospirillum rubrum*, new crystal forms of ribulose-1,5-biphosphate carboxylase/oxygenase, 141
Riboflavin synthase, heavy, from *Bacillus subtilis*; particle dimensions, crystal packing and molecular symmetry, 87
Riboflavin synthase, heavy, from *Bacillus subtilis*. Quaternary structure and reaggregation, 75
RNA, ribosomal, human, transcribed, genes are attached to the nuclear matrix, 15
RNA, ribosomal, mitochondrial, nuclear pseudogene of the sea urchin *Strongylocentrotus purpuratus*, complete nucleotide sequence, 509
RNA, 16 S ribosomal, and 30 S ribosomal subunits, rapid chemical probing of conformation using primer extension, 399
RNA, 16 S ribosomal, gene, transcription initiation *in vitro* and *in vivo* at a highly conserved promoter, 1
RNA templates, native and modified, minus-strand initiation by brome mosaic virus replicase within the 3′ tRNA-like structure, 537
RNase III processing of transcripts from the *Escherichia coli* operon encoding ribosomal protein S15 and polynucleotide phosphorylase, 23
Ribosomal large particles from *Bacillus stearothermophilus*, characterization of single crystals, 633
Ribosomal mitochondrial RNA nuclear pseudogene of the sea urchin *Strongylocentrotus purpuratus*, complete nucleotide sequence, 509
Ribosomal protein S15 and polynucleotide phosphorylase; initiation, attenuation and RNase III processing of transcripts from the *Escherichia coli* encoding operon, 23
Ribosomal RNA genes, human, transcribed, are attached to the nuclear matrix, 15
Ribosomal 16 S RNA gene, transcription initiation *in vitro* and *in vivo* at a highly conserved promoter, 1
Ribosomal 16 S RNA and 30 S ribosomal subunits, rapid chemical probing of conformation using primer extension, 399
Ribosomal small subunit, elongation factor Tu localized on the exterior surface, 617
Ribulose-1,5-biphosphate carboxylase/oxygenase, new crystal forms, from *Rhodospirillum rubrum*, 141
Rice, C. M. (see also Dalgarno, L.), 309
Rich, A. (see also Holbrook, S. R.), 429
Roth, J. R. (see also Lam, S.), 157

S layers, principles of organization, 251
*Saccharomyces cerevisiae* iso-1-cytochrome *c* gene, transcription initiation; multiple, independent T-A-T-A sequences, 363
Salt-dependent changes in the DNA binding co-operativity of *Escherichia coli* single strand binding protein, 603
Salt-dependent co-operative interaction of histone H1 with linear DNA, 569
Saper, M. A. (see also Yonath, A.), 633
Sarcomeric actin genes expressed in *Xenopus laevis* embryos, isolation and characterization, 349
Sarcoplasmic reticulum, muscle, three-dimensional reconstruction of negatively stained crystals of $Ca^{2+}$-ATPase, 417
Satellite DNA, centromeric, mouse, and associated high frequency DNA rearrangements, 547
Satellite DNA sequence, alphoid-like, higher plant, organization and evolution, 495
Satellite DNAs, human, three, sequence relationships, 145
Sauer, B. (see also Sternberg, N.), 197
Saxton, W. G. & Baumeister, W., Principles of organization in S layers (*Appendix* to Blaumeister, W. *et al.*, 241), 251
Saxton, W. O. (see also Baumeister, W.), 241
Scherrer, K. (see also Martins de Sa, C.), 479
Schmid, H.-P. (see also Martins de Sa, C.), 479
Schneider, G., Bränden, C.-I. & Lorimer, G., New crystal forms of ribulose-1,5-biphosphate carboxylase/oxygenase from *Rhodospirillum rubrum*, 141
Schnepple, H. (see also Bacher, A.), 75
Schutz, G. (see also Matthias, P.), 557
Self-association of haemoglobin Olympia ($\alpha_2\beta_2$ 20 (B2) Val → Met). A human haemoglobin bearing a substitution at the surface of the molecule, 277
Selve, N. & Wegner, A., Rate of treadmilling of actin filaments *in vitro*, 627
Sequence, amino acid, fingerprint, use in prediction of the occurrence of the ADP-binding $\beta\alpha\beta$-fold in proteins, 101
Sequence, DNA, satellite, alphoid-like, higher plant, organization and evolution, 495
Sequence, nucleotide, partial, of the Murray Valley encephalitis virus genome. Comparison of the encoded polypeptides with yellow fever virus structural and non-structural proteins, 309
Sequence relationships of three human satellite DNAs, 145
Sequences, nucleotide, of the nuclear pseudogenes for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA in the sea urchin *Strongylocentrotus purpuratus*, 509
Sequences, T-A-T-A, independent, multiple; transcription initiation of the *Saccharomyces cerevisiae* iso-1-cytochrome *c* gene, 363
*sgs*4 locus of *Drosophila melanogaster*; dosage compensation, 529
Shapiro, L. (see also Amemiya, K.), 1

Single strand binding protein, *Escherichia coli*, salt-dependent changes in the DNA binding co-operativity, 603
Single-stranded DNA binding protein of *Escherichia coli* bound to the DNA undecamer 5′d(A-A-G-T-G-T-G-A-T-A-T); a time-dependent transferred nuclear Overhauser enhancement study of conformation, 119
Smith, M. (see also McNeil, J. B.), 363
Spengler, S. J. (see also Williams, R. C.), 109
Splicing of the E2A premessenger RNA of adenovirus serotype 2. Multiple pathways in spite of excision of the entire large intron, 379
Spohr, G. (see also Stutz, F.), 349
Spradling, A. C. (see also Wakimoto, B. T.), 33
Stern, S. (see also Moazed, D.), 399
Sternberg, N., Sauer, B., Hoess, R. & Abremski, K., Bacteriophage P1 *cre* gene and its regulatory region. Evidence for multiple promoters and for regulation by DNA methylation, 197
Stévenin, J. (see also Gattoni, R.), 379
Strauss, J. H. (see also Dalgarno, L.), 309
*Strongylocentrotus purpuratus*, complete nucleotide sequences of the nuclear pseudogenes for cytochrome oxidase subunit I and the large mitochondrial ribosomal RNA, 509
Structural and functional studies of insertion element IS*200*, 157
Structural and non-structural proteins, yellow fever virus, comparison with encoded polypeptides of Murray Valley encephalitis virus genome, 309
Structural variation, inter-species, and ubiquity of prosomes, 479
Structural determination of *Panulirus interruptus* haemocyanin at 3·2 Å resolution. Successful phase extension by sixfold density averaging, 255
Structure and evolution of the apolipoprotein multigene family, 325
Structure of the highly repeated DNA long interspersed sequence one, 291
Structure, quaternary, and reaggregation of heavy riboflavin synthase from *Bacillus subtilis*, 75
Structure, secondary, $3_{10}$-helix, identification in rabbit liver metallothionein-2 by n.m.r., 131
Structure, three-dimensional, of the regular surface layer (HPI layer) of *Deinococcus radiodurans*, 241
Stutz, F. & Spohr, G., Isolation and characterization of sacromeric actin genes expressed in *Xenopus laevis* embryos, 349
Subfamilies, chromosome-specific, within human alphoid repetitive DNA, 185
Subirana, J. A. (see also Campos, J. L.), 441

Takahashi, M., Altschmied, L. & Hillen, W., Kinetic and equilibrium characterization of the Tet repressor–tetracycline complex by fluorescence measurements. Evidence for divalent metal ion requirement and energy transfer, 341
T-A-T-A sequences, independent, multiple; transcription initiation of the *Saccharomyces cerevisiae* iso-1-cytochrome *c* gene, 363
Taylor, K. A., Dux, L. & Martonosi, A., Three-dimensional reconstruction of negatively stained crystals of the $Ca^{2+}$-ATPase from muscle sarcoplasmic reticulum, 417
Terpstra, P. (see also Wierenga, R. K.), 101
Tet repressor–tetracycline complex, kinetic and equilibrium characterization by fluorescence measurements; evidence for divalent metal ion requirements and energy transfer, 341
Tetracycline complex with Tet repressor, kinetic and equilibrium characterization by fluorescence measurements; evidence for divalent metal ion requirement and energy transfer, 341
Thomas, J. O. (see also Clark, D. J.), 569
3′ tRNA-like structure of native and modified RNA templates, minus-strand initiation by brome mosaic virus replicase, 537
Three-dimensional reconstruction of negatively stained crystals of the $Ca^{2+}$-ATPase from muscle sarcoplasmic reticulum, 417
Tönjes, R. (see also Doenecke, D.), 461
Transcribed human ribosomal RNA genes are attached to the nuclear matrix, 15
Transcribed oligo(A)-terminated, interspersed DNA elements; a highly reiterated family in the genome of *Bombyx mori*, 465
Transcription initiation *in vitro* and *in vivo* at a highly conserved promoter within a 16 S ribosomal RNA gene, 1
Transcription initiation of the *Saccharomyces cerevisiae* iso-1-cytochrome *c* gene; multiple, independent T-A-T-A sequences, 363
Transcripts from the *Escherichia coli* operon encoding ribosomal protein S15 and polynucleotide phosphorylase; initiation, attenuation and RNase III processing, 23
Treadmilling rate of actin filaments *in vitro*, 627
Trent, D. W. (see also Dalgarno, L.), 309
Tu elongation factor localized on the exterior surface of the small ribosomal subunit, 617
Tubulin pseudogenes as markers for hominoid divergence, 623
Tyrosine phosphorylation of an *Escherichia coli* protein, 305
Uhlenhopp, E. (see also Filutowicz, M.), 225

Vašák, M. (see also Braun, W.), 125
Vašák, M. (see also Wagner, G.), 131
Verschoor, A., Frank, J., Wagenknecht, T. & Boublik, M., Computer-averaged views of the 70 S monosome from *Escherichia coli*, 581
Vinblastine binding sites on microtubules, identification of a distinct class, 61
Vincent, P. C. (see also Prosser, J.), 145
Virus (see also Brome mosaic), 537
Virus (see also Murray Valley encephalitis), 309
Virus (see also Yellow fever), 309
Volbeda, A. (see also Gaykema, W. P. J.), 255
Voliva, C. F. (see also Burton, F. H.), 291

Wagenknecht, T. (see also Verschoor, A.), 581
Wagner, G., Neuhaus, D., Wörgötter, E., Vašák, M., Kägi, J. H. R. & Wüthrich, K., Nuclear magnetic resonance identification of "half-turn" and $3_{10}$-helix secondary structure in rabbit liver metallothionein-2, 131
Wagner, G. (see also Braun, W.), 125
Wakimoto, B. T., Kalfayan, L. J. & Spradling, A. C., Developmentally regulated expression of *Drosophila* chorion genes introduced at diverse chromosomal positions, 33
Wang, A. H.-J. (see also Holbrook, S. R.), 429
Wegner, A. (see also Selve, N.), 627
Wierenga, A. K., Terpstra, P. & Hol, W. G. J., Prediction of the occurrence of the ADP-binding $\beta\alpha\beta$-fold in proteins, using an amino acid sequence fingerprint, 101
Williams, R. C. & Spengler, S. J., Fibers of RecA protein and complexes of RecA protein and single-stranded $\phi$X174 DNA as visualized by negative-stain electron microscopy, 109
Wilson, L. (see also Jordan, M. A.), 61
Wittmann, H. G. (see also Yonath, A.), 633
Wörgötter, E. (see also Braun, W.), 125
Wörgötter, E. (see also Wagner, G.), 131
Wüthrich, K. (see also Braun, W.), 125
Wüthrich, K. (see also Wagner, G.), 131

*Xenopus laevis* embryos, isolation and characterization of sarcomeric actin genes, 349

Yellow fever virus structural and non-structural proteins, comparison with encoded polypeptides of Murray Valley encephalitis virus genome, 309
Yonath, A., Saper, M. A., Makowski, I., Müssig, J., Piefke, J., Bartunik, H. D., Bartels, K. S. & Wittmann, H. G., Characterization of single crystals of the large ribosomal particles from *Bacillus stearothermophilus*, 633

*Z*-form DNA; local mobility of nucleic acids as determined from crystallographic data, 429